

## MBU61 series

V1.2

## 63W Open Frame Medical Grade Power Supply

The MBU61 series of AC/DC switching mode power supplies provide 63 Watts of continuous output power. All supplies are UL94V-1 min compliant. All models meet FCC Part-18 class B and CISPR-11 EN55011 class B emission Limits and are designed to comply with UL/c-UL(UL 60601-1:2nd Edition), TUV/T-mark(IEC 60601-1:2nd Edition) and CE marking conformity assessment. All units are 100% burned in and tested.

**RoHS2**  
2011/65/EU



### FEATURES:

- \* Wide Operating Voltage, 80 to 275 VAC, 47 to 63 Hz
- \* Internal EMI filter
- \* Multi Output
- \* Power Fail Detect (Optional)
- \* Crowbar Mode Over Voltage Protection
- \* Class I system
- \* 5 year warranty

### APPLICATIONS:

- \* Medical Equipment
- \* Patient Monitor
- \* Ultrasound system
- \* Blood chemistry analyzer
- \* Medical Image

### GENERAL SPECIFICATION:

- \* **Short Circuit Protection:** Auto Recovery
- \* **Cooling:** Free Air Convection
- \* **Protection Classes:** Class I
- \* **Safety:** UL/c-UL(UL 60601-1:2ndEdition), TUV/T-mark(IEC 60601-1:2ndEdition)

### APPROVALS:



### Electrical Characteristics:

Symbol	Characteristic	Condition	Min.	Typ.	Max.	Unit
Vins	Safety Approval Input Voltage Range	Safety Approval & Specification in Label	100		240	VAC
Vin	Input Operate Voltage Range	Detail to see Fig.1 (Derate linearly from 100% load at 90VAC to 80% load at 80VAC)	80		275	VAC
Fi	Input Frequency	Sine wave	47		63	Hz
Po	Output Power Range	See Rating Chart			63	W
Iil	Low Line Input Current	Full Load, Vin=100VAC		1.6		A
Iih	High Line Input Current	Full Load, Vin=240VAC		0.8		A
IrL	Low Line Input Inrush Current	Full Load, 25°C, Cool start, Vin=100VAC			35	A
IrH	High Line Input Inrush Current	Full Load, 25°C, Cool start, Vin=240VAC			70	A
Ik	Safety Ground Leakage Current	Vin=240VAC, Fi=60Hz			0.15	mA
η	Efficiency	Full Load, Vin=230VAC, Detail to see Rating Chart	See Rating Chart			
ΔVoi	Line Regulation	Full Load, Vin=100~120VAC or 200~240VAC			1	%
OVP	Over Voltage Protection		112		132	%
OLP	Over Load Protection	Recovers automatically after fault condition is removed	110		150	%
ttr	Time of Transient Response	Full Load, Vin=110VAC			4	ms
thu	Hold-Up Time	Full Load, Vin=110VAC	See Rating Chart			
ts	Start-up time	Full Load, Vin=100~240VAC			2	s
Ris	Insulation Resistance		50			MΩ
Tc	Temperature Coefficient	All Condition			±0.04	%/°C
HV	Dielectric Withstanding Voltage (P-S)	Primary to Secondary, limit current <10mA			4000	VAC
Vpg	Dielectric Withstanding Voltage (P-G)	Primary to PE, limit current <10mA			1500	VAC
EMI	EMC Emission	Compliance to EN55011 (CISPR11), EN60601-1-2	B			Class

### Environmental:

Symbol	Characteristic	Condition	Min.	Typ.	Max.	Unit
To	Operating Temperature	Detail to see Fig.2 (Derate linearly from 100% load at 50°C to 50% load at 70°C)	-10		70	°C
Ts	Storage Temperature	10 ~ 95% RH	-40		85	°C
Ho	Operating Humidity	non-condensing	0		95%	RH
Hs	Storage Humidity		0		95%	RH
ESDa	Electro Static Discharge	Air Discharge, IEC61000-4-2			8	kV
ESDc	Electro Static Discharge	Contact Discharge, IEC61000-4-2			6	kV
MTBF	Mean Time Between Failure	Operating Temperature at 25°C, Calculated per MIL-HDBK-217F	200k			h
ELEV	Operating Altitude (Elevation)	All condition			3000	m
VBR	Vibration	10 ~ 500Hz, 10min./1cycle, 60min. each along X, Y, Z axes			5	G
VsI	Surge Voltage	Line-Neutral			1	kV
VsG	Surge Voltage	Line-PE & Neutral-PE			2	kV

## MBU61 series



V1.2

## 63W Open Frame Medical Grade Power Supply


### SPECIFICATION NOTE :

1. Output can provide up to peak load when the power supply starts up. Continuous staying in more than rated load is not allowed.
2. At factory, in 60% rated load condition, each output is checked to be within voltage accuracy.
3. Line regulation is defined by changing  $\pm 10\%$  of input voltage from nominal line at rated load.
4. Load regulation is defined by changing  $\pm 40\%$  of measured output load from 60% rated load.
5. Ripple & noise is measured by using 20MHz bandwidth limited oscilloscope and terminated each output with a 0.47uF capacitor at rated load and nominal line.
6. Hold up time is measured from the end of the last charging pulse to the time which the main output drops down to low limit of main output at rated load and nominal line.
7. Efficiency is measured at rated load, and nominal line.

### MECHANICAL DIMENSIONS: ( UNIT: mm )



(FIG.1) INPUT VOLTAGE DERATING CURVE



(FIG.2) TEMPERATURE DERATING CURVE

### PACKING :

1. Dimensions are shown in inches or mm.
2. Net weight: 300g approx.
3. Input connector mates with Molex housing 09-50-3031 and Molex 2478 series crimp terminal.
4. Output connector mates with Molex housing 09-50-3081 and Molex 2478 series crimp terminal.

### PIN CHART

MODEL	PIN	1	2	3	4	5	6	7	8 (Optional)
MBU61-2XX		Vo2	Vo1	Vo1	COM	COM	N/C	N/C	PFD
MBU61-215		N/C	Vo1	Vo1	COM	COM	Vo3	N/C	PFD
MBU61-3XX		Vo2	Vo1	Vo1	COM	COM	Vo3	N/C	PFD
MBU61-4XX		Vo2	Vo1	Vo1	COM	COM	Vo3	Vo4	PFD

Note: Vo1:Output#1 Vo2:Output#2 Vo3:Output#3 Vo4:Output#4

### Rating Chart: (Multi Output)

MODEL NO.	Setting Voltage Range (Factory setting, can't be adjusted)	Output Current (Based on the output volt.)		Maximum Output Power (W)	Ripple & Noise (mVp-p)	Total Regulation (%)	Typ. Efficiency (%)	Typ. No Load Consumption (W)	Hold-Up Time (ms)	Protection Mode																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
		min	max																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
		(VDC)	(A)																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																							
MBU61-200	+3.3	1.4	7.0	59.1	100	±6	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5					MBU61-201	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5	MBU61-202	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup	+15.0	0.45	3.0	100	±5	MBU61-203	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup	+24.0	0.4	2.0	100	±5	MBU61-204	+3.3	1.4	7.0	63	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5	MBU61-215	+5.0	0.7	7.0	48.1	100	±5	73.5	4	16	Hiccup	-24.0	0.2	2.0	100	±5	MBU61-300	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	-12.0	0.0	0.8	100	±5	MBU61-300-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	+12.0	0.0	0.8	100	±5	MBU61-301	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5	-5.0	0.0	0.8	100	±5	MBU61-301-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5	+5.0	0.0	0.8	100	±5	MBU61-302	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	-12.0	0.0	0.8	100	±5	MBU61-302-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	+12.0	0.0	0.8	100	±5	MBU61-303	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+15.0	0.45	3.0	100	±5	-15.0	0.0	0.8	100	±5	MBU61-303-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+15.0	0.45	3.0	100	±5	+15.0	0.0	0.8	100	±5	MBU61-305	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup	+24.0	0.4	2.0	100	±5	-12.0	0.0	0.8	100	±5	MBU61-305-1	+5.0	1.2	6.0	63	100	±5	73.5	5	16	Hiccup	+24.0	0.4	2.0	100	±5	+12.0	0.0	0.8	100	±5	MBU61-306	+3.3	1.2	6.0	59.8	100	±6	73.5	5	16	Hiccup	+12.0	0.6	3.0	100	±5	-5.0	0.0	0.8	100	±5	MBU61-306-1	+3.3	1.2	6.0	59.8	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	+5.0	0.0	0.8	100	±5	MBU61-308	+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5	-12.0	0.0	1.0	100	±5	MBU61-308-1	+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5	+12.0	0.0	1.0	100	±5	MBU61-400	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	-12.0	0.0	0.8	100	±5	-5.0	0.0	0.8	100	±5	MBU61-400-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	-12.0	0.0	0.8	100	±5	+5.0	0.0	0.8	100	±5	MBU61-400-2	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	+12.0	0.0	0.8	100	±5	-5.0	0.0	0.8	100	±5	MBU61-400-3	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	+12.0	0.0	0.8	100	±5	+5.0	0.0	0.8	100	±5		
MBU61-201	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.3	3.0		100	±5					MBU61-202	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup	+15.0	0.45	3.0	100	±5	MBU61-203	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup	+24.0	0.4	2.0	100	±5	MBU61-204	+3.3	1.4	7.0	63	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5	MBU61-215	+5.0	0.7	7.0	48.1	100	±5	73.5	4	16	Hiccup	-24.0	0.2	2.0	100	±5	MBU61-300	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5					MBU61-300-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16		Hiccup	+12.0	0.6		3.0	100					±5	+12.0	0.0	0.8	100	±5	MBU61-301	+5.0	0.6	6.0		63	100	±5		73.5	4					16	Hiccup	+12.0	0.3	3.0	100	±5	-5.0	0.0	0.8		100	±5	MBU61-301-1		+5.0	0.6					6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3		3.0	100	±5		+5.0	0.0					0.8	100	±5	MBU61-302	+5.0	0.6	6.0	63	100	±5		73.5	4	16		Hiccup	+12.0					0.6	3.0	100	±5	-12.0	0.0	0.8	100	±5	MBU61-302-1		+5.0	0.6	6.0		63	100					±5	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100	±5					MBU61-303	+5.0	0.6	6.0	63	100	±5	73.5	4	16		Hiccup	+15.0	0.45		3.0	100					±5	-15.0	0.0	0.8	100	±5	MBU61-303-1	+5.0	0.6	6.0		63	100	±5		73.5	4					16	Hiccup	+15.0	0.45	3.0	100	±5	+15.0	0.0	0.8		100	±5	MBU61-305		+5.0	1.2					6.0	63	100	±5	73.5	4	16	Hiccup	+24.0	0.4		2.0	100	±5		-12.0	0.0					0.8	100	±5	MBU61-305-1	+5.0	1.2	6.0	63	100	±5		73.5	5	16		Hiccup	+24.0					0.4	2.0	100	±5	+12.0	0.0	0.8	100	±5	MBU61-306		+3.3	1.2	6.0		59.8	100					±6	73.5	5	16	Hiccup	+12.0	0.6	3.0	100	±5		-5.0	0.0	0.8		100	±5					MBU61-306-1	+3.3	1.2	6.0	59.8	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100		±5	+5.0	0.0		0.8	100					±5	MBU61-308	+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0		100	±5	-12.0		0.0	1.0					100	±5	MBU61-308-1	+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5		5.0	100	±5		+12.0	0.0					1.0	100	±5	MBU61-400	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0
MBU61-202	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+15.0	0.45	3.0		100	±5					MBU61-203	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup	+24.0	0.4	2.0	100	±5	MBU61-204	+3.3	1.4	7.0	63	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5	MBU61-215	+5.0	0.7	7.0	48.1	100	±5	73.5	4	16	Hiccup	-24.0	0.2	2.0	100	±5	MBU61-300	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5					MBU61-300-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100	±5				MBU61-301		+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5		-5.0	0.0	0.8	100		±5	MBU61-301-1	+5.0			0.6	6.0	63	100			±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5	+5.0		0.0	0.8	100	±5	MBU61-302	+5.0	0.6	6.0		63	100					±5	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	-12.0	0.0	0.8	100	±5	MBU61-302-1		+5.0	0.6	6.0		63	100	±5				73.5		4	16	Hiccup	+12.0	0.6	3.0	100	±5	+12.0	0.0	0.8	100	±5	MBU61-303		+5.0	0.6	6.0	63	100		±5	73.5	4	16	Hiccup	+15.0					0.45	3.0	100	±5	-15.0	0.0	0.8	100	±5	MBU61-303-1	+5.0	0.6	6.0	63	100	±5		73.5	4	16		Hiccup	+15.0				0.45		3.0	100	±5	+15.0	0.0	0.8	100	±5	MBU61-305	+5.0	1.2	6.0	63	100	±5		73.5	4	16	Hiccup		+24.0	0.4	2.0			100	±5	-12.0	0.0			0.8	100	±5	MBU61-305-1	+5.0	1.2	6.0	63	100	±5	73.5		5	16	Hiccup	+24.0	0.4	2.0	100	±5		+12.0	0.0					0.8	100	±5	MBU61-306	+3.3	1.2	6.0	59.8	100	±6	73.5	5	16	Hiccup	+12.0	0.6		3.0	100	±5		-5.0	0.0	0.8				100		±5	MBU61-306-1	+3.3	1.2	6.0	59.8	100	±6	73.5	4	16	Hiccup	+12.0	0.6		3.0	100	±5	+5.0	0.0		0.8	100	±5	MBU61-308	+3.3	0.5					5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5	-12.0	0.0	1.0		100	±5	MBU61-308-1		+3.3	0.5					5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5	+12.0	0.0	1.0		100	±5	MBU61-400		+3.3	1.2					6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5	-12.0	0.0	0.8		100	±5	-5.0		0.0	0.8					100	±5	MBU61-400-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0		100	±5	-12.0		0.0	0.8					100	±5	+5.0
MBU61-203	+5.0	0.7	7.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+24.0	0.4	2.0		100	±5					MBU61-204	+3.3	1.4	7.0	63	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5	MBU61-215	+5.0	0.7	7.0	48.1	100	±5	73.5	4	16	Hiccup	-24.0	0.2	2.0	100	±5	MBU61-300	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5					MBU61-300-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100	±5					MBU61-301	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100		±5	-5.0	0.0	0.8		100	±5					MBU61-301-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0		0.3	3.0	100	±5	+5.0		0.0	0.8	100	±5					MBU61-302	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup		+12.0	0.6	3.0	100		±5	-12.0	0.0	0.8	100	±5					MBU61-302-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16		Hiccup	+12.0	0.6	3.0	100		±5	+12.0	0.0	0.8	100		±5				MBU61-303	+5.0	0.6	6.0	63	100	±5	73.5	4	16		Hiccup	+15.0	0.45	3.0		100	±5	-15.0					0.0	0.8	100	±5	MBU61-303-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16		Hiccup	+15.0	0.45		3.0	100	±5				+15.0		0.0	0.8	100	±5	MBU61-305	+5.0	1.2	6.0	63	100	±5	73.5	4	16		Hiccup	+24.0	0.4		2.0	100	±5					-12.0	0.0	0.8	100	±5	MBU61-305-1	+5.0	1.2	6.0	63	100	±5	73.5	5	16		Hiccup	+24.0	0.4		2.0	100		±5				+12.0	0.0	0.8	100	±5	MBU61-306	+3.3	1.2	6.0	59.8	100	±6	73.5	5	16		Hiccup	+12.0	0.6		3.0	100					±5	-5.0	0.0	0.8	100	±5	MBU61-306-1	+3.3	1.2	6.0	59.8	100	±6	73.5	4	16		Hiccup	+12.0	0.6		3.0	100					±5	+5.0	0.0	0.8	100	±5	MBU61-308	+3.3	0.5	5.0	53.5	100		±6	73.5	3	16	Hiccup	+5.0	0.5		5.0	100					±5	-12.0	0.0	1.0	100	±5	MBU61-308-1	+3.3	0.5	5.0	53.5		100	±6	73.5	3	16	Hiccup	+5.0	0.5		5.0	100					±5	+12.0	0.0	1.0	100	±5	MBU61-400	+3.3	1.2	6.0	63		100	±6	73.5	4	16	Hiccup	+12.0	0.6		3.0	100					±5	-12.0	0.0	0.8	100	±5	-5.0	0.0	0.8	100	±5	MBU61-400-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16		Hiccup	+12.0	0.6		3.0	100					±5	-12.0	0.0	0.8	100	±5	+5.0	0.0	0.8	100	±5	MBU61-400-2	+3.3	1.2	6.0	63	100
MBU61-204	+3.3	1.4	7.0	63	100	±6	73.5	3	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+5.0	0.5	5.0		100	±5					MBU61-215	+5.0	0.7	7.0	48.1	100	±5	73.5	4	16	Hiccup	-24.0	0.2	2.0	100	±5	MBU61-300	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5					MBU61-300-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100	±5					MBU61-301	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5		-5.0	0.0	0.8		100	±5					MBU61-301-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5		+5.0	0.0	0.8		100	±5					MBU61-302	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5					MBU61-302-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100	±5				MBU61-303		+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+15.0	0.45	3.0	100	±5		-15.0	0.0	0.8		100	±5				MBU61-303-1		+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+15.0	0.45	3.0	100	±5		+15.0	0.0	0.8		100	±5				MBU61-305		+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup	+24.0	0.4	2.0	100	±5		-12.0	0.0	0.8		100	±5				MBU61-305-1		+5.0	1.2	6.0	63	100	±5	73.5	5	16	Hiccup	+24.0	0.4	2.0	100	±5		+12.0	0.0	0.8		100	±5				MBU61-306		+3.3	1.2	6.0	59.8	100	±6	73.5	5	16	Hiccup	+12.0	0.6	3.0	100	±5		-5.0	0.0	0.8		100	±5				MBU61-306-1		+3.3	1.2	6.0	59.8	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+5.0	0.0	0.8		100	±5				MBU61-308		+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5		-12.0	0.0	1.0		100	±5	MBU61-308-1					+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100	±5		+12.0	0.0	1.0		100	±5	MBU61-400					+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5	-5.0					0.0	0.8	100	±5	MBU61-400-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5				+5.0		0.0	0.8	100	±5	MBU61-400-2	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100
MBU61-215	+5.0	0.7	7.0	48.1	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	-24.0	0.2	2.0		100	±5					MBU61-300	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5					MBU61-300-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100	±5					MBU61-301	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5		-5.0	0.0	0.8		100	±5					MBU61-301-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.3	3.0	100	±5		+5.0	0.0	0.8		100	±5					MBU61-302	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5					MBU61-302-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100	±5					MBU61-303	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+15.0	0.45	3.0	100		±5	-15.0	0.0	0.8		100	±5					MBU61-303-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup	+15.0	0.45	3.0	100		±5	+15.0	0.0	0.8		100	±5					MBU61-305	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup	+24.0	0.4	2.0	100		±5	-12.0	0.0	0.8		100	±5					MBU61-305-1	+5.0	1.2	6.0	63	100	±5	73.5	5	16	Hiccup	+24.0	0.4	2.0	100		±5	+12.0	0.0	0.8		100	±5					MBU61-306	+3.3	1.2	6.0	59.8	100	±6	73.5	5	16	Hiccup	+12.0	0.6	3.0	100		±5	-5.0	0.0	0.8		100	±5					MBU61-306-1	+3.3	1.2	6.0	59.8	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100		±5	+5.0	0.0	0.8		100	±5					MBU61-308	+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0	0.5	5.0	100		±5	-12.0	0.0	1.0		100	±5					MBU61-308-1	+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup	+5.0		0.5	5.0	100	±5	+12.0	0.0	1.0		100	±5					MBU61-400	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0		0.6	3.0	100	±5	-12.0	0.0	0.8		100	±5					-5.0	0.0	0.8	100	±5	MBU61-400-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		-12.0	0.0	0.8		100	±5					+5.0	0.0	0.8	100	±5	MBU61-400-2	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup	+12.0	0.6	3.0	100	±5		+12.0	0.0	0.8		100	±5					-5.0	0.0	0.8	100	±5	MBU61-400-3	+3.3	1.2	6.0	63	100
MBU61-300	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-300-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-301	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.3	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-5.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-301-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.3	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+5.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-302	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-302-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-303	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+15.0	0.45	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-15.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-303-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+15.0	0.45	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+15.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-305	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+24.0	0.4	2.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-305-1	+5.0	1.2	6.0	63	100	±5	73.5	5	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+24.0	0.4	2.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-306	+3.3	1.2	6.0	59.8	100	±6	73.5	5	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-5.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-306-1	+3.3	1.2	6.0	59.8	100	±6	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+5.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-308	+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+5.0	0.5	5.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-12.0	0.0	1.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-308-1	+3.3	0.5	5.0	53.5	100	±6	73.5	3	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+5.0	0.5	5.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+12.0	0.0	1.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-400	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-5.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-400-1	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+5.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-400-2	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	-5.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
MBU61-400-3	+3.3	1.2	6.0	63	100	±6	73.5	4	16	Hiccup																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																
	+12.0	0.6	3.0		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+12.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				
	+5.0	0.0	0.8		100	±5																																																																																																																																																																																																																																																																																																																																																																																																																																																																																																				

### Rating Chart: (Multi Output)

MODEL NO.	Setting Voltage Range (Factory setting, can't be adjusted)	Output Current (Based on the output volt.)		Maximum Output Power	Ripple & Noise	Total Regulation	Typ. Efficiency	Typ. No Load Consumption	Hold-Up Time	Protection Mode
		min	max							
		(VDC)	(A)							
MBU61-401	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	-12.0	0.0	0.8		100	±5				
	-5.0	0.0	0.8		100	±5				
MBU61-401-1	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.3	3.0		100	±5				
	-12.0	0.0	0.8		100	±5				
	+5.0	0.0	0.8		100	±5				
MBU61-401-2	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.3	3.0		100	±5				
	+12.0	0.0	0.8		100	±5				
	-5.0	0.0	0.8		100	±5				
MBU61-401-3	+5.0	0.6	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.3	3.0		100	±5				
	+12.0	0.0	0.8		100	±5				
	+5.0	0.0	0.8		100	±5				
MBU61-402	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	-12.0	0.0	0.8		100	±5				
	-12.0	0.0	0.8		100	±5				
MBU61-402-1	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	-12.0	0.0	0.8		100	±5				
	+12.0	0.0	0.8		100	±5				
MBU61-402-2	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	+12.0	0.0	0.8		100	±5				
	-12.0	0.0	0.8		100	±5				
MBU61-402-3	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	+12.0	0.0	0.8		100	±5				
	+12.0	0.0	0.8		100	±5				
MBU61-403	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	-12.0	0.0	0.8		100	±5				
	-24.0	0.0	0.8		100	±5				
MBU61-403-1	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	-12.0	0.0	0.8		100	±5				
	+24.0	0.0	0.8		100	±5				
MBU61-403-2	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	+12.0	0.0	0.8		100	±5				
	-24.0	0.0	0.8		100	±5				
MBU61-403-3	+5.0	1.2	6.0	63	100	±5	73.5	4	16	Hiccup
	+12.0	0.6	3.0		100	±5				
	+12.0	0.0	0.8		100	±5				
	+24.0	0.0	0.8		100	±5				
MBU61-404	+5.0	0.6	6.0	63	50	±5	78	4	16	Hiccup
	+15.0	0.45	3.0		100	±5				
	-15.0	0.0	0.8		100	±5				
	-5.0	0.0	0.8		50	±5				
MBU61-404-1	+5.0	0.6	6.0	63	50	±5	78	4	16	Hiccup
	+15.0	0.45	3.0		100	±5				
	-15.0	0.0	0.8		100	±5				
	+5.0	0.0	0.8		50	±5				
MBU61-404-2	+5.0	0.6	6.0	63	50	±5	78	4	16	Hiccup
	+15.0	0.45	3.0		100	±5				
	+15.0	0.0	0.8		100	±5				
	-5.0	0.0	0.8		50	±5				
MBU61-404-3	+5.0	0.6	6.0	63	50	±5	78	4	16	Hiccup
	+15.0	0.45	3.0		100	±5				
	+15.0	0.0	0.8		100	±5				
	+5.0	0.0	0.8		50	±5				